Inhaltsverzeichnis

2. Anlegen von Benutzern	•••••	3
--------------------------	-------	---

2/8

Printed on 2025/07/06 23:16

2. Anlegen von Benutzern

Zum Anlegen eines neuen Accounts ist es zweckmäßig, zuerst die Gruppe/Rolle auszuwählen, in welcher der Benutzer / die Benutzerin hauptsächlich arbeiten wird. Im Allgemeinen ist dies die Rolle "Design" einer Gruppe, wobei die Gruppen den ursprünglichen KVs bzw. den Standorten entsprechen.

Wählen Sie z.B. unter FFG die Gruppe El und die Rolle Design und drücken Sie "Add User".

FIG BM B BK C CH CH <	inization 23		
Bit Bit Bit CW Bit	FFG ^	😺 Design	
br CH CW Design Best Design Design Design Design Design Design Owning Site Over the second of t	BM		
CO Description: B Description: Would Design-Admin Owning Site B Owning Site CO Owning Site Filter by Site @ All O Local Rept Enter Work Site All O Local Rept Enter Bole Name Enter Group Name Groups Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	CH	Role: Design	
CW D D D B Design_Admin H D F F E F E F E F E F E F E F Disciplines F Dispolications Ou	co	Description:	
D B B B B B CP B B CP B CP CP B CP Coving Ste Disciplines Users Persons Stes External Applications Colemans Calendars Calendars Calendars Calendars Calendars Calendars Calendars Calendars Calendars Conving Ste Conving Ste Conving Ste <tr< td=""><td>CW</td><td></td><td></td></tr<>	CW		
Image: Select User Option Image: Select User Option <td>DD</td> <td></td> <td></td>	DD		
Image: Select User Option FR FR FR GP Hit FR GP Hit Filter by Site (a) All () Local Repleer by Home Site All (a) Select User Option Finter User ID or User Name Enter Role Name Enter Role Name Enter Role Name Groups Roles Disciplines Users Persons Stes External Applications Volumes Calendars Language Calendars Language Graphic Priority List Output: Out	E	Owning Siter	
Image Image </td <td>R Design</td> <td>owing site</td> <td></td>	R Design	owing site	
	B Design-Admin		
Image Image	⊞-∰ Plot		
Image Image </td <td></td> <td></td> <td></td>			
Would you like to add a new user to ELFFG/Design? Filter by Site All Local Repl Filter User ID or User Name Enter Role Name Enter Role Name Enter Group Name Groups Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	GP		_
H H	HE	🔮 Organization User Wizard	×
HM IN Filter by Site All Local Repl roy Home Site All Local Repl Enter User ID or User Name Enter Role Name Control Second Sec	н		
Filer by Site All Local Repl r by Home Site All Would you like to add a new user to ELFFG/Design? Enter User ID or User Name Add existing user to the group/role Enter Group Name Add new user to the group/role Groups Roles Add new user to the group/role Disciplines Add new user to the group/role Stes <	нм	Select User Option	
Filter by Site @ All O Local Repl r by Home Site All C Enter User ID or User Name Enter Group Name Groups Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	IN Y		
er by Home Site All Enter User ID or User Name Enter Role Name Enter Group Name Groups Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	Filter by Site 🖲 All 🔿 Local 🚫 Repl		
er by Home Site All Enter User ID or User Name Enter Group Name Groups Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List			
Enter User ID or User Name Enter Role Name Enter Group Name Groups Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	y Home Site All V		
Enter Role Name Enter Group Name Groups Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	ter User ID or User Name	Would you like to add a new user to ELFFG/Design?	
Enter Group Name Enter Group Name Groups Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	ter Role Name		
Enter Group Name Groups Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List		 Add existing user to the group/role 	
Groups Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	ter Group Name	Add new user to the group/role	
Roles Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	uns		
Disciplines Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	ec .		
Users Persons Sites External Applications Volumes Calendars Language Graphic Priority List	ciplines		
Persons Sites External Applications Volumes Calendars Language Graphic Priority List	rs		
Sites External Applications Volumes Calendars Language Graphic Priority List	sons		
External Applications /olumes Calendars Language Graphic Priority List	s	🚽 Back Next 🕨 🗰 Finish 🥼 Home 🛞 Close	e
/olumes Calendars Language Sraphic Priority List	ernal Applications		
Calendars Language Graphic Priority List	umes		
Language Graphic Priority List	endars		
Graphic Priority List	guage		
Linear Consum	phic Priority List		
License Servers	ense Servers		
S* Add User S Modify Remove		S* Add User 🔍 Modify — Remove	

Selektieren Sie dann "Add new user to the group/role" Drücken Sie "Next".

-

💙 Orga	nization User Wizard		×
Specify N	ew User		
	Person Name:	Doe, John 🏾 🔭	
	User ID:	jdoe *	
	OS Name:	jdoe *	
	Password:	•	
	Default Group:	₽s EI.FFĞ	
	Roles:	s Design	
C +	Default Volume:	学 ?	
2.	Default Local Volume:	学 ?	
	Licensing Level:	Author O Consumer O Admin	
	License Server:		
	License Bundle:		
	d Back Ne	ct 🕨 🏁 Finish 💧 Home	😣 Close

Geben Sie einen Personennamen in der Form "Nachname, Vorname" ein.

Geben Sie eine User ID entsprechend der Namenskonvention bei FFG ein; üblicherweise ist dies Nachname und der erste Buchstabe des Vornahmens an erster Position.

Geben Sie einen OS Namen ein, üblicherweise ist dieser identisch mit der User ID. Dies ist zwar ein Pflichtfeld in Teamcenter, hat aber inzwischen technisch keine Bedeutung mehr.

Die Default Group und Roles wurde automtisch übernommen.

Geben Sie einen Licensing Level ein; "Author" für Anwender, welche Daten anlegen, "Consumer" für Anwender, welche Workflows ausführen oder Daten anzeigen.

Drücken Sie "Finish" um den Account anzulegen.

Unter "Persons" können Sie die weiteren Daten der Person bearbeiten.

Printed on 2025/07/06 23:16

🗟 Organization 🖾				- 5
FFG ^	😻 Doe, John			
ter- 25 BM ter- 25 BR	Name	Doe, John	•	
IB- 🐉 CH	Address			
⊞-\$s CO ⊕-\$s CW				
⊕- 5 DD	City		1	
El Decise	State		Zin Code	
⊕ Sesign	-		Lip code	
🕀 🐺 Plot	Country			
	Organization			
🐵 🚋 GP	Employee Number			
HE	Internal Mail Code			
🗒 🕹 нм	E-Mail Address	inha das@company.com		1
🕒 🕀 🐌 IN 🗸 🗸	Dhana bhumhan	john.doe@company.com		1
Filter by Site All Local Repl	Phone Number			
Filter by Home Site All V	Locale		2	
Enter User ID or User Name	Time Zone	6	2	
Enter Role Name	Owning Site			_
Se Enter Group Name	User Image:			•••
S Persons				
15,000,00				
A Destroyed in				
The South And				
1. S. Lange Te.				
a & Joseph Million				
🕀 💫 Doe, John				
1 Statement				
v		🔆 Create 🔍 🗠 Mod	ify 🗙 Delete 🍐 Clear	

5/8

Für das Versenden von Emails sollte die E-Mail-Adresse der Person hinterlegt sein. Alle weiteren Angaben sind optional.

Im nächsten Schritt muss der Anwender / die Anwenderin m indestens einem Projekt (ehemals EAC) zugeordnet werden, damit er/sie in Teamcenter Daten sehen kann.

Öffnen Sie die Applikation "Projekt". Wichtig ist, dass Sie in dem entsprechendem Projekt "Team Administrator" sind.

Hinweis: der administrative Account "tcadm" ist "Projekt Administrator" in allen Projekten und damit auch immer "Team Administrator".

2025/07/06 25:16	2025/0	07/06	23:16
------------------	--------	-------	-------

6/8

Project 🕴 💛 🗖	Definition 🖂 🕅 AM Rules 👎 Libraries		
> Project > C1 00001	Create Modify Copy X Delete	Clear	
> == 10011 > == 10050 > == 10051 > == 10052	ID 00002 Name 00002 Description MAG Intern		
> 📰 10060	Project Category		
	Parent Status @Active Olnactive Olnactive Ar	nd Invisible	
	Program O Project Inherit member selection from par Collaboration Categories	ent v	
	Member Selection	S B B	
	 Single BIW_Planner Single Engineering Single FFG Single FFG Single Administration Single Sponsor Single Validation Administration Single Validation Administration Single Administration 	Name Name is: 00002.Project Administrator is: [LFFG.Design is: [LFFG.Design is: [G.FFG.Design is: Str.FFG.Design is: NT.FFG.Design is: NT.FFG.Design is: RT.FFG.Design is: NT.FFG.Design is: NT.FFG.Design is: TS.FFG.Design is: TS.FFG.Design is: Infodba (infodba)	Status Privileged
		tcm_adm (tcm_adm)	Privileged

Selektieren Sie das entsprechende Projekt.

Suchen Sie in der "Member Selection" nach dem User.

Selektieren Sie den User und drücken Sie den "+" Knopf.



Der User wird als "Non-prilivedged" User im Projekt angelegt. Er hat damit Berechtigung, Daten dieses Projekts zu sehen, kann aber keine Daten anlegen.

Damit der User Daten in diesem Projektkontext erzeugen kann, selektieren Sie den User und drücken Sie die rechte Maustaste.

Name	Status
> 3 00002.Project Administrator	
> 🔢 CH.FFG.Design	
B ELFFG.Design	
Contract of the Internet	Privileged
Contract Name (Science)	Privileged
Chatries Dreitiget Libertfell	Privileged
States Rend (Indeed)	Privileged
🔝 Doe, John (idea)	Man nmillagad
Set Default Project	
Set Privileged Users	>
Unset Privileged Use	rs
Select a Project team	n administrator
Descriptions (Note (Station))	a margaret
Andread of Charles and Andread and	March 1997
Table Server address	Revision 1
Advantation (second	Provide A.
Columbus, Station (columbus)	Startinger.
Constructions Product Statistics	The Report
Charge Transmittedured	Providence of the local state of
April Additional	The Report
 Tempore a loss (program) 	Privilegent
 Tests Treasultanti 	Star Report
COMPARIANCE AND	The Report

Im folgenden Dialog wählen Sie "Set Priviledged User".

Name	Status
> 🌆 00002.Project Administrator	
> R CH.FFG.Design	
Is ELFFG.Design	
There and there	Privileged
 See Article and 	Privileged
Burlin, Christoph Chardenia	Privileged
Two the statements	Privileged
Doe, John (jdoe)	Privileged
Column Conception	Privileged
And Address in the second	Privileged

Anschließend bekommt der User "Priviledged" Rechte für dieses Projekt.

Sie müssen anschließend unbedingt den Knopf "Modify" in der Projektkonfiguration drücken, damit alle Änderungen gespeichert werden.

Project 😫 👘 🗖 Definition 😂 🚳 AM	A Rules 📫 Libraries
Image: Construction of the second s	dify Copy X Delete Clear
Parent	
Status	Active Inactive Inactive And Invisible
	Inherit member selection from parent
Collaboration Categories	۲. ۲